



**Patient Clinical
Analysis Technology**

Test Performed By:
ChemaTox Laboratory
5401 Western Avenue
Boulder, CO 80301
Phone: (877)427-6869

PATIENT INFORMATION

Last Name: Santillan
First Name: Rosario
DOB: 03/26/1967
Gender: Female
Test: P42

PHYSICIAN INFORMATION

Name: Vadim Lipel
Address: 16260 Ventura Blvd Suite 309
Encino, CA 91436
Phone: 818/906-7643
Collected By: Victoria

SPECIMEN INFORMATION

Accession #: 092813-0007-310183
Specimen ID: SANTILLANR032667
Date Collected: 09/20/2013
Date Reported: 09/28/2013
Specimen Type: Urine

Test Performed (Cutoff in ng/ml unless otherwise stated)	Lab Result	Rapid Exam Result	Prescribed	Consistent / Inconsistent
Adjuvants		N/A		
Gabapentin (Qualitative)	None Detected		No	Consistent
Pregabalin (Qualitative)	None Detected		No	Consistent
Anticonvulsants		N/A		
Carbamazepine (100)	None Detected		No	Consistent
Oxcarbazepine (100)	None Detected		No	Consistent
Antidepressants		N/A		
Bupropion (250)	None Detected		No	Consistent
Citalopram/Escitalopram (50)	None Detected		No	Consistent
Fluoxetine (100)	None Detected		No	Consistent
Mirtazapine (50)	None Detected		No	Consistent
Paroxetine (150)	None Detected		No	Consistent
Sertraline (100)	None Detected		No	Consistent
Venlafaxine/Desvenlafaxine (Qualitative)	None Detected		No	Consistent
Barbiturates	Confirmation Panel	Negative		
Barbiturates (500)	None Detected		No	Consistent
Benzodiazepines	Confirmation Panel	Negative		
Alprazolam (50)	None Detected		No	Consistent
Clonazepam (50)	None Detected		No	Consistent
Diazepam/Nordiazepam (50)	None Detected		No	Consistent
Flunitrazepam (50)	None Detected		No	Consistent
Flurazepam (50)	None Detected		No	Consistent
Lorazepam (50)	None Detected		No	Consistent
Midazolam (50)	None Detected		No	Consistent
Oxazepam (50)	None Detected		No	Consistent
Temazepam (50)	None Detected		No	Consistent
Triazolam (50)	None Detected		No	Consistent
Methadone	Confirmation Panel	Negative		
Methadone (30)	None Detected		No	Consistent
Muscle Relaxants		N/A		
Carisoprodol/Meprobamate (500)	None Detected		No	Consistent

Term "Consistent" / "Inconsistent" refer only as a comparison of reported prescribed drugs to drugs detected upon screening. They do not necessarily determine patient compliance / non-compliance. Prescribers should not base prescribing habits solely on information obtained by prescription drug screens.

Patient Clinical Analysis Technology Inc. may utilize third-party laboratories at their discretion.



**Patient Clinical
Analysis Technology**

Test Performed By:
ChemaTox Laboratory
5401 Western Avenue
Boulder, CO 80301
Phone: (877)427-6869

PATIENT INFORMATION

Last Name: Santillan
First Name: Rosario
DOB: 03/26/1967
Gender: Female
Test: P42

PHYSICIAN INFORMATION

Name: Vadim Lipol
Address: 16260 Ventura Blvd Suite 309
Encino, CA 91436
Phone: 818/906-7643
Collected By: Victoria

SPECIMEN INFORMATION

Accession #: 092813-0007-310183
Specimen ID: SANTILLANR032667
Date Collected: 09/20/2013
Date Reported: 09/28/2013
Specimen Type: Urine

Test Performed (Cutoff in ng/ml unless otherwise stated)	Lab Result	Rapid Exam Result	Prescribed	Consistent / Inconsistent
Narcotics		N/A		
Tapentadol (500)	None Detected		No	Consistent
Narcotics/Analgesics		N/A		
Buprenorphine (1)	None Detected		No	Consistent
Butorphanol (Qualitative)	None Detected		No	Consistent
Fentanyl (1)	None Detected		No	Consistent
Ketamine (10)	None Detected		No	Consistent
Meperidine (100)	None Detected		No	Consistent
Nalbuphine (10)	None Detected		No	Consistent
Pentazocine (100)	None Detected		No	Consistent
Tramadol (100)	None Detected		No	Consistent
Opiates	Confirmation Panel	Negative		
Codeine (15)	None Detected		No	Consistent
Hydrocodone (25)	None Detected		No	Consistent
Hydromorphone (50)	None Detected		No	Consistent
Morphine (10)	None Detected		No	Consistent
Other Agents		N/A		
Ranitidine (Qualitative)	None Detected		No	Consistent
Oxycodone	Confirmation Panel	Negative		
Oxycodone (50)	None Detected		No	Consistent
Oxymorphone (100)	None Detected		No	Consistent
Sedative/Hypnotics		N/A		
Zolpidem (50)	None Detected		No	Consistent
Tricyclic Antidepressants		N/A		
Amitriptyline/Nortriptyline (100)	None Detected		No	Consistent
Cyclobenzaprine (50)	None Detected		No	Consistent
Desipramine/Imipramine (100)	None Detected		No	Consistent
Doxepin (50)	None Detected		No	Consistent

Terms "Consistent" / "Inconsistent" refer only as a comparison of reported prescribed drugs to drugs detected upon screening. They do not necessarily determine patient compliance / non-compliance. Prescribers should not base prescribing habits solely on information obtained by prescription drug screens.

Patient Clinical Analysis Technology Inc. may utilize third-party laboratories at their discretion.



**Patient Clinical
Analysis Technology**

Test Performed By:
ChemaTox Laboratory
5401 Western Avenue
Boulder, CO 80301
Phone: (877)427-6869

PATIENT INFORMATION

Last Name: Santillan
First Name: Rosario
DOB: 03/26/1967
Gender: Female
Test: P42

PHYSICIAN INFORMATION

Name: Vadim Lipel
Address: 16260 Ventura Blvd Suite 309
Encino, CA 91436
Phone: 818/906-7643
Collected By: Victoria

SPECIMEN INFORMATION

Accession #: 092813-0007-310183
Specimen ID: SANTILLANR032667
Date Collected: 09/20/2013
Date Reported: 09/28/2013
Specimen Type: Urine

Adulterants (pH, Specific Gravity, and/or Creatinine) within normal range.

Testing Methods: Screens by ELISA - Barbiturates, Buprenorphine, Carisoprodol, Fentanyl, Opiates, Oxycodone and THC;
GC/MS - Alcohol; GC/MS Confirmation - All drugs, excluding Barbiturates, Carisoprodol, and THC

Any testing not performed by GC/MS provides only a preliminary analytical test result. A more specific alternate chemical method must be used in order to obtain a confirmed analytical result.

COMMENTS:

DRUG-DRUG INTERACTIONS:

Sarah S. Urfer, MS

RECEIVED
NOV 12 2013 H
OSC West

Term "Consistent" / "Inconsistent" refer only as a comparison of reported prescribed drugs to drugs detected upon screening. They do not necessarily determine patient compliance / non-compliance. Prescribers should not base prescribing habits solely on information obtained by prescription drug screens.

Patient Clinical Analysis Technology Inc. may utilize third-party laboratories at their discretion.